

ALLURE

SERIES_ 55" 65" AND 75"



BUS STOP



AIRPORT



MALL



STADIUM



ALLURE 75" DOUBLE SIDED DEPLOYED AT A BUS SHELTER

With the whole tempered glass doors and side aluminum protectors, Allure is beautifully designed with vandal-resistant in mind.



AL5500S

55" screen,
8T tempered glass,
2500 nits brightness,
IP66 weatherproof enclosure.

Spec:

https://www.vconn.digital.com/_files/ugd/6dc886_d961aec679584ac2b44e76b3bb76240f.pdf



AL6500D

65" screen,
8T tempered glass,
2500 nits brightness,
IP66 weatherproof enclosure.

Spec:

https://www.vconn.digital.com/_files/ugd/6dc886_81409d1244cf4638af81f05749a16eb5.pdf



AL7500D

75" screen,
8T tempered glass,
3000 nits brightness,
IP66 weatherproof enclosure.

Spec:

https://www.vconn.digital.com/_files/ugd/6dc886_06d10cd6d8d24ad385fcef28c00aeca9.pdf

PRODUCT HIGHLIGHTS

- Optional: PCAP touch
- Anti-vandal protected glass
- Patented air cooling system
- IP66 weatherproof enclosure
- Single or double-sided displays
- Sensor board
- Remote monitoring
- Auto brightness control
- Aluminum side protectors



ENDURE

SERIES_ 55" 65" AND 75"



BUS STOP



AIRPORT



MALL



STADIUM



Apply your own design.
Different and fine-looking kiosks.



EN5500S

55" screen,
8T tempered glass
2500 nits brightness,
Powder coated steel,
Optional: PCAP touch.

Spec:

https://www.vconn.digital.com/_files/ugd/6dc886_68b1e58cd1b44a4daco60167a44678b0.pdf



EN7500S

75" screen,
8T tempered glass
2500 nits brightness,
Powder coated steel,
Optional: PCAP touch.

Spec:

https://www.vconn.digital.com/_files/ugd/6dc886_347a576b4be74696a6208c176376402c.pdf

PRODUCT HIGHLIGHTS



Sensor board



Remote monitoring



Auto brightness control



Single or double-sided displays



Optional: PCAP touch



Anti-vandal protected glass



Patented air cooling system



IP66 weatherproof enclosure



AZURE QSR

SERIES_ 55" 65" AND 75"



DRIVE-THRU



RETAIL



MALL



Crisp & clean menu displays,
both indoor and outdoor or drive-thru.



AZQ5500

55" screen QSR,
Tempered glass,
2500 nits brightness,
IP65 weatherproof enclosure.

Spec:

https://www.vconn.digital.com/_files/ugd/6dc886_f6c6ed1af35841bbgeofa6702e67b019.pdf



AZQ6500

65" screen QSR,
Tempered glass,
2500 nits brightness,
IP65 weatherproof enclosure.

Spec:

https://www.vconn.digital.com/_files/ugd/6dc886_a107473a851b455f8383339c4348192c.pdf



AZQ7500

75" screen QSR,
Tempered glass,
3000 nits brightness,
IP65 weatherproof enclosure.

Spec:

https://www.vconn.digital.com/_files/ugd/6dc886_bfa1978457114a8aa351a934f891792f.pdf

PRODUCT HIGHLIGHTS



Optional: PCAP touch



Patented air cooling system



Anti-vandal protected glass



IP65 weatherproof enclosure



Display orientation: Portrait / Landscape



Filterless air circulation system for easy maintenance



Sensor board



Heat reduction film



Remote monitoring



Auto brightness control



Lightweight design for QSR



AZURE EXTREME

SERIES_ 55" 65" AND 75"



MALL



AIRPORT



BUS STOP



RETAIL



Flexibility in mounting options.
Ruggedized enclosure. Install anywhere.



Optional: PCAP touch



Sensor board



Patented air cooling system



Remote monitoring



Anti-vandal protected glass



Auto brightness control



IP65 weatherproof enclosure



Display orientation: Portrait / Landscape



Front opening for easy maintenance

Spec:

https://www.vconndigital.com/_files/ugd/6dc886_c608ed0f8d964714aea4e5e4045e0a67.pdf



CURBSIDE 15"



TAXI STATION




CONVENTION
CENTER



AIRPORT



HOTEL



Curbside solutions.
Take control of your curb space.



High brightness



Compact & slim design



Auto brightness control



IP65 weatherproof enclosure



Sensor board



Remote monitoring



15" curbside outdoor kiosk



Anti-vandal protected glass



Spec:

https://www.vconn.digital.com/_files/ugd/6dc886_0c1d52884eb34cf7addcc5c8047efcfe.pdf



DUAL E-PAPER DISPLAY 13.3"



With low power consumption, wide operating temperature range and outdoor grade enclosure, this e-paper display can be a perfect match for various transit applications.



-  E-Ink Display
-  4+4mm Thickness Anti-UV Laminated Glass
-  Low power consumption(4.3W)
-  Wide operating temperature range and IP65
-  Special design for heat dispersion
-  Ambient light, vibration, and temperature sensor
-  Reflective electrophoretic technology
-  Multi power supply options (POE, Battery, Adapter)

Spec:

https://www.vconn.digital.com/_files/ugd/6dc886_265142ba9379464a9ed1678169526ebb.pdf



EV CHARGER

DUOCONIC

(DCFC-LEVEL 3)



Fully charge in less than half an hour.
Ultra-fast charging for compatibility and accessibility .



Dual connectors



15" Touch screen



Level 3 fast EV charger



IP54 Protection rating



200A max DC output current



CCS-1 charging protocol



180 KW max charging capacity



Spec:

https://www.vconndigital.com/_files/ugd/6dc886_8379e50615cb4d338daa326d44c2ad57.pdf



ALLURE INDOOR

SERIES_ 65"



MALL




AIRPORT



TRANSIT



RETAIL



LCD or LED. It's your choice to use bright and high definition displays on the kiosk.



Optional: PCAP touch



Sensor board



Anti-vandal protected glass



Auto brightness control



Single or double-sided displays



LCD or LED display combination

Spec:

https://www.vconndigital.com/_files/ugd/6dc886_g45521e82fc34486ba8801beb4d7b5e9.pdf

